

Veritas NetBackup™ Emergency Engineering Binary Guide

Release 8.1 and 8.1.x

Document Version 2

VERITAS™

Veritas NetBackup™ Emergency Engineering Binary Guide

Last updated: 2018-02-16

Document version: NetBackup 8.1.1

Legal Notice

Copyright © 2018 Veritas Technologies LLC. All rights reserved.

Veritas, the Veritas Logo, and NetBackup are trademarks or registered trademarks of Veritas Technologies LLC or its affiliates in the U.S. and other countries. Other names may be trademarks of their respective owners.

This product may contain third-party software for which Veritas is required to provide attribution to the third party ("Third-party Programs"). Some of the Third-party Programs are available under open source or free software licenses. The License Agreement accompanying the Software does not alter any rights or obligations you may have under those open source or free software licenses. Refer to the Third-party Legal Notices document accompanying this Veritas product or available at:

<https://www.veritas.com/about/legal/license-agreements>

The product described in this document is distributed under licenses restricting its use, copying, distribution, and decompilation/reverse engineering. No part of this document may be reproduced in any form by any means without prior written authorization of Veritas Technologies LLC and its licensors, if any.

THE DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID. VERITAS TECHNOLOGIES LLC SHALL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES IN CONNECTION WITH THE FURNISHING, PERFORMANCE, OR USE OF THIS DOCUMENTATION. THE INFORMATION CONTAINED IN THIS DOCUMENTATION IS SUBJECT TO CHANGE WITHOUT NOTICE.

The Licensed Software and Documentation are deemed to be commercial computer software as defined in FAR 12.212 and subject to restricted rights as defined in FAR Section 52.227-19 "Commercial Computer Software - Restricted Rights" and DFARS 227.7202, et seq. "Commercial Computer Software and Commercial Computer Software Documentation," as applicable, and any successor regulations, whether delivered by Veritas as on premises or hosted services. Any use, modification, reproduction release, performance, display or disclosure of the Licensed Software and Documentation by the U.S. Government shall be solely in accordance with the terms of this Agreement.

Veritas Technologies LLC

500 E Middlefield Road
Mountain View, CA 94043

<http://www.veritas.com>

Technical Support

Technical Support maintains support centers globally. All support services will be delivered in accordance with your support agreement and the then-current enterprise technical support policies. For information about our support offerings and how to contact Technical Support, visit our website:

<https://www.veritas.com/support>

You can manage your Veritas account information at the following URL:

<https://my.veritas.com>

If you have questions regarding an existing support agreement, please email the support agreement administration team for your region as follows:

Worldwide (except Japan)

CustomerCare@veritas.com

Japan

CustomerCare_Japan@veritas.com

Documentation

Make sure that you have the current version of the documentation. Each document displays the date of the last update on page 2. The latest documentation is available on the Veritas website:

<https://sort.veritas.com/documents>

Documentation feedback

Your feedback is important to us. Suggest improvements or report errors or omissions to the documentation. Include the document title, document version, chapter title, and section title of the text on which you are reporting. Send feedback to:

NB.docs@veritas.com

You can also see documentation information or ask a question on the Veritas community site:

<http://www.veritas.com/community/>

Veritas Services and Operations Readiness Tools (SORT)

Veritas Services and Operations Readiness Tools (SORT) is a website that provides information and tools to automate and simplify certain time-consuming administrative tasks. Depending on the product, SORT helps you prepare for installations and upgrades, identify risks in your datacenters, and improve operational efficiency. To see what services and tools SORT provides for your product, see the data sheet:

https://sort.veritas.com/data/support/SORT_Data_Sheet.pdf

Contents

Chapter 1	NetBackup release content listings	5
	About NetBackup release content listings	5
	About the NetBackup "known issues" documentation conventions	6
Chapter 2	EEBs and other known issues resolved in NetBackup 8.1.1	7
	Previous EEBs now resolved in NetBackup 8.1.1	7
	Other known issues resolved in NetBackup 8.1.1	15
Chapter 3	EEBs and other known issues resolved in NetBackup 8.1	22
	Previous EEBs now resolved in NetBackup 8.1	22
	Other known issues resolved in NetBackup 8.1	42
Appendix A	About SORT for NetBackup Users	53
	About Veritas Services and Operations Readiness Tools	53
	Recommended SORT procedures for new installations	54
	Recommended SORT procedures for upgrades	58

NetBackup release content listings

This chapter includes the following topics:

- [About NetBackup release content listings](#)
- [About the NetBackup "known issues" documentation conventions](#)

About NetBackup release content listings

Each release of NetBackup incorporates fixes to several known issues that affected previous versions of NetBackup. Some of these fixes are associated with the customer-specific issues that have been documented in the form of customer cases. Several of the customer-related fixes that are incorporated into each release are also made available as emergency engineering binaries (EEBs).

The *NetBackup Emergency Engineering Binary Guide* contains the following information:

- Tables that list the EEBs that were incorporated into NetBackup releases
- Release content listings of some of the known issues that were fixed in NetBackup releases

The *NetBackup Emergency Engineering Binary Guide* is published for each major release and minor (single-dot) release. The guide is then periodically updated to include the EEB and release content listings for subsequent double-dot and triple-dot releases.

Much of the information that is found in the *NetBackup Emergency Engineering Binary Guide* can also be found on the Veritas Services and Operations Readiness Tools (SORT) website using the NetBackup Hot Fix and EEB Release Auditor widget.

See ["About Veritas Services and Operations Readiness Tools"](#) on page 53.

Note: If you do not see information about an EEB or a fixed issue that you expected to see in the *NetBackup Emergency Engineering Binary Guide* or in SORT, contact Veritas Support.

About the NetBackup "known issues" documentation conventions

The following items describe the conventions used in the NetBackup known issues listings:

- **Etrack Incident**
Notes the Etrack number that targets a release
- *Associated Primary Etrack*
An additional Etrack number that exists in the incident hierarchy
- *Associated Service Request Etrack*
The Etrack that is associated with the customer support service request
- *Description*
Describes a particular issue that has been fixed in a release, as well as additional notes and workarounds (if available).
Workarounds can be used instead of applying the patch, however, Veritas recommends the best practice of operating at the latest available NetBackup release level.
- ****Description or **Etrack number**
Describes a critical issue or an issue that can lead to a potential data loss that has been fixed in this release
Please read these issue descriptions carefully. In some cases, a Tech Alert link is provided.

EEBs and other known issues resolved in NetBackup 8.1.1

This chapter includes the following topics:

- [Previous EEBs now resolved in NetBackup 8.1.1](#)
- [Other known issues resolved in NetBackup 8.1.1](#)

Previous EEBs now resolved in NetBackup 8.1.1

[Table 2-1](#) contains a listing of known issues with NetBackup that were identified, fixed, and made available to customers in the form of an emergency engineering binary (EEB). NetBackup 8.1.1 resolves the issues that were fixed with each of these EEBs.

More information on the Etracks that are listed in this topic (and any other service request Etrack) can be found using the Veritas Services and Operations Readiness Tools (SORT) website.

<https://sort.veritas.com/netbackup>

Table 2-1 Previous EEBs now resolved in NetBackup 8.1.1

Etrack Number	EEB Description
3864545	Restore, duplication, or verify of NDMP backup fails. The bptm log shows error 'create_ndmp_frag_info: The size of this backup image (0) (nnnn) has been modified'. The steps in TECH177654 do not solve the problem.
3869844	NDMP backup finishes with a partial success, but backup selection fails with error messages.

Table 2-1 Previous EEBs now resolved in NetBackup 8.1.1 (*continued*)

Etrack Number	EEB Description
3873176	An NDMP Restore from backup fails with partial success and error messages. Note that this EEB must be in place before you attempt the backup.
3877162	A Job Finalized alert policy does not generate alert messages if all backup policies are selected using the check box next to the master server name, and then some policies are manually deselected using their check boxes.
3881330	An NDMP Restore from backup fails with partial success and error messages. Note that this EEB must be in place before you attempt the backup.
3882350	An NDMP restore fails with error 91: "the size of this backup image has been modified." This EEB creates a way to duplicate a copy with bad fragment information, in order to create a new usable copy from which restores can be made.
3891624	NDMP restore fails with error 2850.
3899040	When running a Hyper-V backup using a System Center Virtual Machine Manager query, the query detects multiple virtual machines (VMs) with the same ID, which causes primary VMs to be marked as not to be backed up.
3903935	A Hyper-V Intelligent Policy excludes replicated virtual machines because it detects that they are duplicates.
3903951, version 3, 2, 1	This EEB allows NetBackup 7.7.3 to integrate with Velocity R7. The changes in this EEB allow NetBackup to write Oracle Copilot backups to a Velocity share, and enables Velocity to provision a copy from that database.
3903952, version 3, 2, 1	This EEB allows NetBackup 8.0 to integrate with Velocity R7/R8. The changes in this EEB allow NetBackup to write Oracle Copilot backups to a Velocity share, and enables Velocity to provision a copy from that database.
3907391	A Job Finalized alert policy intermittently fails to generate alert messages when all backup policies are selected using the check box next to the master server name, and then some policies are manually unchecked.
3907945	An OpsCenter report fails with error 1043 ("request interrupted due to timeout") if the original SQL query is large and complex.
3907957	OpsCenter displays a large number of backup operations for multiple SLPs, even though only one backup operation is configured for these SLPs in NetBackup.
3910991	When backing up all instances of SQL 2012 or higher, the backup will complete with status 0, even if an instance was skipped due to a permission error.

Table 2-1 Previous EEBs now resolved in NetBackup 8.1.1 (*continued*)

Etrack Number	EEB Description
3914581	Attempting to restore a high-availability virtual machine (VM) to its original location fails with status 2821 ("Hyper-V policy restore error" if the VM owner node of the cluster is in a paused state.
3915496	Backups of SQL 2012 and later complete with status 0 even if all instances are not backed up successfully.
3915497	Backups of SQL 2012 and later complete with status 0 even if all instances are not backed up successfully.
3915744	The Backup and Restore GUI in the NetBackup Administration Console displays incorrect or blank sizes for Exchange folders.
3916608	After restoring a "C:\User\%username%" Directory on Windows 2016 Server, the Start Menu no longer works and the following critical Windows error is presented: "Your Start menu isn't working. We'll try to fix it the next time you sign in."
3916719	When attempting to perform a bare metal restore, volume creation fails for the spanned volume.
3916879	The disk pool goes down intermittently on a Windows-based MSDP pool. This issue can be resolved by restarting the media server.
3917141	Backup jobs intermittently fail due to an access violation. The dbbackex.exe process is terminated by the operating system.
3918226	When using the tpautoconf command to create or list global tape drive rules, the command produces a core dump.
3918337	A GRT restore browse fails with status 227 ("no entity was found") for Exchange 2016.
3919816, version 1	Unable to log into a restored EC2 client after a successful C: drive and system state full restore. Login fails with error: "An authentication error has occurred. The Local Security Authority cannot be contacted."
3919972	After successfully installing a NetBackup master server, the installer posts messages to the event viewer incorrectly indicating that all installed products were reconfigured.
3920234	An image cleanup job fails with status code 156 ("snapshot error encountered") because the job tried to delete a VxFS checkpoint which did not exist.
3920243	The disk pool goes down intermittently on a Windows-based MSDP pool, and multi-threaded agents time out with errors. This issue can be resolved by restarting the media server.
3920395	A "Client Summary Dashboard" report in OpsCenter shows old clients which no longer have any data or which are no longer in NetBackup.

Table 2-1 Previous EEBs now resolved in NetBackup 8.1.1 (*continued*)

Etrack Number	EEB Description
3920591	Deselecting a NetBackup policy in a Job Finalized alert policy in OpsCenter deselects all NetBackup policies. This prevents any alerts from being raised from those policies.
3920798	"Week at a glance" reports in OpsCenter attempt to display the next week, and show blank data. If the report is adjusted to display the previous week, it will display the current week.
3920950	The "Job Count - Actual" column of a Backup Window report shows inaccurate data in OpsCenter.
3921477	The OpsCenter domain_JobArchive table contains many null rows, which slows down reports and causes the database to grow.
3921830	After upgrading from NetBackup 7.6.1.2 to 7.7.3 and 8.0, legacy SQL backups fail with multiple ODBC authentication errors.
3921922	If a backup job times out because it was unable to get a resource within the 10 minute backint_response_timeout limit, child processes of hdbbackint are not terminated.
3922908	This EEB changes the default separator character in the job directory column of a Tabular Report from a forward slash (/) to a period (.).
3922968	Multiplexed Hyper-V backups using Windows Management Instrumentation fail with status code 20 ("invalid command parameter").
3923206	Unable to expand Exchange mailboxes in the restore browser. The browser also shows a public folder mailbox in all databases, instead of only in the database that hosts it, and inappropriately displays system mailboxes.
3923398	A Backup Duration Variance Report only shows data from the past 24 hours. The report returns no data if any time period longer than 24 hours is selected.
3923656	An NDMP restore fails with the NDMP error "could not find block number", even if the original backup of that file succeeded with status 1.
3924355	A SharePoint 2016 granular restore fails with the error "ERR - error cleaning virtual view" in a clustered SQL environment.
3924548	The AIR replication rate is slower than the specified bandwidthlimit setting.
3924964	This EEB fixes several issues with Exchange 2016 CU5. The Exchange interface cannot expand, restore, or browse any mailboxes, can only expand a public folder mailbox from the database that hosts it, and cannot restore system mailboxes.
3924973	An Active Directory GRT restore fails consistently with JET_ERR on Windows 2016.
3925093	When multiple reports are attached to one outbound email from OpsCenter, the error "Failed to create report" is injected into the body of the email.

Table 2-1 Previous EEBs now resolved in NetBackup 8.1.1 (*continued*)

Etrack Number	EEB Description
3925316	If BACKUP_FIFO_FILES is set to 1, the Backup/Archive Manager process waits forever when it encounters an empty FIFO. If the user exits, the Backup/Restore Manager and NetBackup Tape Manager exit, but the Backup/Archive Manager continues waiting.
3925447, version 1	Files which are restored from Flashbackup are offset by 1024 bytes if the master server is a NetBackup appliance.
3925495	The "Optimize Duplicate Images" feature does not work if the source and target servers are the same.
3925527	Every snapshot and every backup job creates an XML file in the NetBackup\db\jobs\restart directory, and this directory consumes large amounts of disk space.
3925721	In NetBackup 8.1.1, setting the "Buffer_Size" registry dword to zero (0), or even deleting the value, does not prevent Windows 2012 from auto-tuning TCP memory.
3926117	If BACKUP_FIFO_FILES is set to 1, the Backup/Archive Manager process waits forever when it encounters an empty FIFO. If the user exits, the Backup/Restore Manager and NetBackup Tape Manager exit, but the Backup/Archive Manager continues waiting.
3926279	After upgrading from NetBackup 7.6.1.2 to 7.7.3 and 8.0, legacy SQL backups fail with multiple ODBC authentication errors.
3926631	The NetBackup Accelerator change journal is not enumerated on an NTFS deduplication volume when a deduplication job is scheduled.
3926830	Client side deduplication fails on x86 Windows clients with job details indicating critical bptm errors.
3927352	The "tpautoconf" command generates a core dump in a Solaris environment when trying to configure tape drive name rules.
3928190	Low Available Media alerts are not generated correctly based on available media.
3929512	An incremental backup of DFSR data does not back up files with non-ASCII characters in their names.
3929677	Backup jobs fail because Oracle.exe exhausts Windows handles. The Oracle.exe program must be restarted in order for new backups to succeed.
3929757	Restore fails with error 5 ("the restore failed to recover the requested files"). Policy validation and snapshot creation fail with error 4201.
3929836	Restore fails with error 5 ("the restore failed to recover the requested files"). Policy validation and snapshot creation fail with error 4201.

Table 2-1 Previous EEBs now resolved in NetBackup 8.1.1 (*continued*)

Etrack Number	EEB Description
3929868, version 1	An Oracle multi-stream restore fails with status 135 ("client is not validated to perform the requested operation"). The child restore jobs fail their authorization with the NetBackup request daemon (bprd).
3929979	When a non-administrator user attempts to perform a User Archive, the delete operation fails even though the backup was successful.
3930143	Duplication of NDMP images fails with a "socket write failed" error, and VxSS authentication fails with status code 116.
3930222	Several processes, including the NetBackup Request Daemon (bprd), might generate a core dump while connecting to the NetBackup Client daemon (bpcd) running on the local host.
3930306	If a gvfs volume is mounted on Red Hat Enterprise Linux 7 after an upgrade to NetBackup 8.0, a status 1 error (permission denied) is produced.
3930431	In NetBackup 8.0, setting the "Buffer_Size" registry dword to zero (0), or even deleting the value, does not prevent Windows 2012 from auto-tuning TCP memory.
3930433	In NetBackup 8.1, setting the "Buffer_Size" registry dword to zero (0), or even deleting the value, does not prevent Windows 2012 from auto-tuning TCP memory.
3930630	An incomplete OpsCenter job alert is missing its status and job schedule details. This EEB adds these attributes to the job alert details of incomplete OpsCenter job alerts.
3930668	When attempting to restore a VMware virtual machine to a vCenter using a restore ESX server, the restore fails with status 2820 ("NetBackup VMware policy restore error").
3930819	After restoring a "C:\User\%username%" Directory on Windows 2016 Server, the Start Menu no longer works and the following critical Windows error is presented: "Your Start menu isn't working. We'll try to fix it the next time you sign in."
3930861	If a scheduled backup runs while a Full Image Restore of a virtual machine is running, the restore finishes but fails with status 2820 ("NetBackup VMware policy restore error").
3930870	Unable to restore a virtual machine and keep the same UUID information.
3930915	A Windows-based MSDP disk pool goes down intermittently. Rebooting the media server brings the disk pool back.
3931005	Oracle Recovery Manager backups that use the SAN client delay closing connections between application jobs for up to 30 minutes.
3931141	Distributed File System Replication (DFSR) backups process for a long time before actually beginning to move data.

Table 2-1 Previous EEBs now resolved in NetBackup 8.1.1 (*continued*)

Etrack Number	EEB Description
3931145	Distributed File System Replication (DFSR) backups include too many files when you use archive bits to perform differential-incremental backup jobs.
3931172	After upgrading a Windows 2012 master server and Windows 2012 MSDP media servers from NetBackup 7.7.3 to 8.1, the spoold process crashes on the source and destination hosts when running an SLP duplication job.
3931218	The "Client Summary Dashboard" report in OpsCenter shows old clients which no longer have any data and which are no longer in NetBackup.
3931222	Backups of Enterprise Vault 12.2 fail.
3931412	Restore fails with error 5 ("the restore failed to recover the requested files"). Policy validation and snapshot creation fail with error 4201.
3931764	If NetBackup Access Control is enabled, the nbholdutil command reports the error "Access to perform the operation was denied".
3931817	After upgrading from NetBackup 7.7.3 to 8.1, VMware snapshot jobs fail with the error message "File path contains unsupported characters" if a virtual machine name contains a colon character (":").
3931847	This EEB allows you to use the OST Provision function with Veritas Velocity.
3931897	The NetBackup Database Manager (bpdbm) crashes and produces a core dump while saving a storage lifecycle policy (SLP) if the storage unit group is used in any SLP operations.
3931940	If a scheduled backup runs while a Full Image Restore of a virtual machine is running, the restore finishes but fails with status 2820 ("NetBackup VMware policy restore error").
3931942	A virtual machine cannot be restored with the same UUID information using Instant Restore.
3932360, version 1	The NetBackup Deduplication Engine (spoold.exe) stops working after upgrading from NetBackup 7.7.3 to 8.1.
3932377	If a backup job times out because it was unable to get a resource within the 10 minute backint_response_timeout limit, child processes of hdbbackint are not terminated.
3932379	If a backup job times out because it was unable to get a resource within the 10 minute backint_response_timeout limit, child processes of hdbbackint are not terminated.
3932380	During log backups when multiple backup jobs are executing at the same time, the main hdbbackint process is stopped after a 10 minute timeout, but child processes are not terminated.

Table 2-1 Previous EEBs now resolved in NetBackup 8.1.1 (*continued*)

Etrack Number	EEB Description
3932381	During log backups when multiple backup jobs are executing at the same time, the main hdbbackint process is terminated after a 10 minute timeout, but child processes are not terminated.
3932437	Hosts located in time zones in which daylight savings time borders midnight initiate a large number of debug logs on the day before the daylight savings change occurs.
3932513	OpsCenter 8.1 does not connect to a NetBackup 8.1 master server when running on an 8.1 medi server. The OpsCenter interface displays the "Not Connected" status with the reason "OpsCenter machine is not reachable from the specified master server."
3932632	Logical volumes with fully-numeric names are not resolved during File Mapping. If this occurs in a LVM group, individual file mapping fails to resolve on all of the logical volumes in the group.
3932784	If multiple replicated virtual machines meet the UUID criteria of a Hyper-V Intelligent Policy query, the policy does not select the replicated machines.
3932874	The OpsCenter "Client Summary Dashboard" report shows clients that are no longer in NetBackup, or which have no valid images.
3933582	The OpsCenter 8.0 "Backup History Selection" feature displays inaccurate information about some backup image locations, disk pool names, and copies.
3933701	A Windows Bare Metal Restore fails with "Required registry hives are not loaded. Unable to continue."
3934118	An Auto Image Replication job fails if rebasing occurs on the target server if the target has been upgraded from NetBackup 7.7.3 to NetBackup 8.1.
3934368, version 2, 1	Image cleanup is delayed on 5330 media servers, and replication jobs from NetBackup 7.7.3 to 8.1 fail.
3934994	The NetBackup Policy Execution Manager (nbpem) consumes high CPU loops, and fails with status 196 in certain time zones if a calendar-based backup schedule is due on a day on which daylight savings time moves the time forward from midnight to 1:00 AM.
3935104	Browsing performance in a GRT-enabled Microsoft Exchange image is very slow.
3935219, version 6, 5, 4, 3	After upgrading to NetBackup 8.1, data conversion of a large MSDP pool suffers performance issues.
3935554	The NetBackup Policy Execution Manager (nbpem) consumes high CPU loops, and fails with status 196 in certain time zones if a calendar-based backup schedule is due on a day on which daylight savings time moves the time forward from midnight to 1:00 AM.

Table 2-1 Previous EEBs now resolved in NetBackup 8.1.1 (*continued*)

Etrack Number	EEB Description
3935894	No logical volumes in a Logical Volume Manager group are resolved for individual file mapping if any of the volumes have names consisting only of numeric characters.
3936647	This EEB adds support for vMotion for IRed virtual machines with single vsan datastores.
3937284	The NetBackup Websocket Notification Service does not send notifications on certain dates near the beginning and end of the year.
3938084	After an upgrade to NetBackup 8.0 or 8.1, duplication of Exchange GRT backups from disk to tape take a long time to complete (several hours).
3938547	An incomplete OpsCenter job alert is missing its status and job schedule details. This EEB adds these attributes to the job alert details of incomplete OpsCenter job alerts.
3939266	Active Directory restores with Granular Restore Technology enabled fail consistently with a JET_ERR on Windows 2016.

Other known issues resolved in NetBackup 8.1.1

This topic contains a list of some of the known issues that were fixed and included in the NetBackup 8.1.1 release.

Etrack Incident: 3909261

- Associated Primary Etrack: 3897579
- Associated Service Request Etrack(s): 3897578
- Description:
The NetBackup consistency check repair utility (NBCCR) failed with an "Invalid user ID or password" message if the user failed to use the -emmpwd parameter when it was needed.

Etrack Incident: 3918986

- Associated Primary Etrack: 3918878
- Associated Service Request Etrack(s): 3918877
- Description:
Updating a catalog backup policy failed with status 160 ("authentication failed").

Etrack Incident: 3921133

- Associated Primary Etrack: N/A
- Associated Service Request Etrack(s): N/A

- **Description:**
An upgrade to NetBackup 8.0 appears to complete successfully, but deployment of the NetBackup Security Certificate fails with exit status 5969 ("Response from the NetBackup Web Management Console service could not be parsed.")

Etrack Incident: 3921138

- Associated Primary Etrack: N/A
- Associated Service Request Etrack(s): N/A
- **Description:**
The Web Services did not start after an upgrade to NetBackup 8.0 because "NBDB.db" was not at the top of the databases.conf file.

Etrack Incident: 3921311

- Associated Primary Etrack: 3920096
- Associated Service Request Etrack(s): 3920095
- **Description:**
If a customer added a cloud instance whose name included a forward slash character (/), the customer could not delete that cloud instance.

Etrack Incident: 3923331

- Associated Primary Etrack: 3919677
- Associated Service Request Etrack(s): 3919676
- **Description:**
A Bare Metal Restore client failed to boot up after a restore with error 1962 ("No operating system found").

Etrack Incident: 3926280

- Associated Primary Etrack: 3916507
- Associated Service Request Etrack(s): 3916506
- **Description:**
An image import failed with status 229 ("events out of sequence - image inconsistency").

Etrack Incident: 3927079

- Associated Primary Etrack: 3922336
- Associated Service Request Etrack(s): 3922335
- **Description:**
The "current kilobytes written" field displayed an inaccurate value after an SLP-driven optimized deduplication completed.

Etrack Incident: 3927631

- Associated Primary Etrack: 3926790
- Associated Service Request Etrack(s): 3926789
- Description:
A large number of clients ran the query C_BPRD_GET_LOG_DAYS at midnight, resulting in an unintentional DDoS attack.

Etrack Incident: 3930137

- Associated Primary Etrack: N/A
- Associated Service Request Etrack(s): N/A
- Description:
The nbcertconfig command regenerated a pre-existing certificate instead of respecting it.

Etrack Incident: 3930372

- Associated Primary Etrack: N/A
- Associated Service Request Etrack(s): N/A
- Description:
The lists of media servers and storage units in the Storage Servers and Catalog nodes could not be sorted. Attempting to use the sorting feature sorted the list for a moment, but it immediately reordered itself.

Etrack Incident: 3930566

- Associated Primary Etrack: 3930557
- Associated Service Request Etrack(s): 3930556
- Description:
When a user deleted a job in the activity monitor, NetBackup instead deleted a different job on a different remote console.

Etrack Incident: 3931103

- Associated Primary Etrack: 3931071
- Associated Service Request Etrack(s): 3931070
- Description:
A vxpbx_exchanged startup script failed to look at Solaris 11 zones.

Etrack Incident: 3931375

- Associated Primary Etrack: N/A
- Associated Service Request Etrack(s): N/A

- **Description:**
When users attempted to remotely log into the master server using the Java console, the console created half-open connections to PBX.

Etrack Incident: 3931384

- Associated Primary Etrack: N/A
- Associated Service Request Etrack(s): N/A
- **Description:**
The Java GUI logic to set up trust led to several problems. The hostname in the issuer field might not have matched the current master server name, and connections to a media server or client may fail.

Etrack Incident: 3931387

- Associated Primary Etrack: N/A
- Associated Service Request Etrack(s): N/A
- **Description:**
The "nbcertconfig" command did not provide an option to accept the user's web service password when executed manually on Windows. The only way to provide it was to set it in an ENV variable, which was insecure.

Etrack Incident: 3931720

- Associated Primary Etrack: N/A
- Associated Service Request Etrack(s): N/A
- **Description:**
This etrack disabled the NetBackup MySQL option button in the NetBackup installer.

Etrack Incident: 3931872

- Associated Primary Etrack: 3930152
- Associated Service Request Etrack(s): 3930151
- **Description:**
NetBackup Access Control tasks were slow for users who had remote home directories.

Etrack Incident: 3932154

- Associated Primary Etrack: 3930958
- Associated Service Request Etrack(s): 3930957
- **Description:**

When attempting to start the NetBackup Web Management Console (NBWMC) via the command line, NBWMC was unable to deploy a certificate and returned the error ".Ambiguous output redirect".

Etrack Incident: 3932416

- Associated Primary Etrack: 3931822
- Associated Service Request Etrack(s): 3931821
- Description:
NetBackup job completion emails no longer contain an empty attachment or multi- part Part 2.

Etrack Incident: 3933207

- Associated Primary Etrack: 3932783
- Associated Service Request Etrack(s): 3932782
- Description:
A VMware backup failed with error 13 ("file read failed") after upgrading to NetBackup 8.0.

Etrack Incident: 3934254

- Associated Primary Etrack: 3934253
- Associated Service Request Etrack(s): 3934252
- Description:
When attempting to back up a Distributed File System Replication system with a DFSR policy and a non-DFSR policy which included the System State directive and multiple streams, Windows Open File Backup snapshot failed and backups ended with status 1 ("The requested operation was partially successful").

Etrack Incident: 3935016

- Associated Primary Etrack: N/A
- Associated Service Request Etrack(s): N/A
- Description:
Multiple client installs using a regular token produced two host database entries for the same client.

Etrack Incident: 3935642

- Associated Primary Etrack: N/A
- Associated Service Request Etrack(s): N/A
- Description:
The nbcertcmd command incorrectly reads the bp.conf file for the master server.

Etrack Incident: 3936851

- Associated Primary Etrack: N/A
- Associated Service Request Etrack(s): N/A
- Description:
Redirected appliance restores that were targeted to alternate locations intermittently failed and produced core dumps.

Etrack Incident: 3937422

- Associated Primary Etrack: N/A
- Associated Service Request Etrack(s): N/A
- Description:
Customers were not able to manually initiate or disable certificate auto-renewals.

Etrack Incident: 3937506

- Associated Primary Etrack: N/A
- Associated Service Request Etrack(s): N/A
- Description:
Customers were not able to manually initiate or disable certificate auto-renewals.

Etrack Incident: 3937539

- Associated Primary Etrack: 3910460
- Associated Service Request Etrack(s): 3910459
- Description:
The granular restore (GRT) catalog extension failed with a "client hostname could not be found" error during duplication of an IP-less distributed access group, because live browse was unable to find an Exchange node.

Etrack Incident: 3937705

- Associated Primary Etrack: N/A
- Associated Service Request Etrack(s): N/A
- Description:
The Jobs API produced inconsistent responses if no entities existed.

Etrack Incident: 3937706

- Associated Primary Etrack: N/A
- Associated Service Request Etrack(s): N/A
- Description:

If no entities existed, the Images API produced inconsistent responses which did not conform to the API specification.

Etrack Incident: 3938280

- Associated Primary Etrack: 3908100
- Associated Service Request Etrack(s): 3908098
- Description:
A full high-availability restore, targeted to its original location, failed with status 2821 ("Hyper-V policy restore error") on a Japanese Windows Hyper-V cluster.

Etrack Incident: 3938356

- Associated Primary Etrack: N/A
- Associated Service Request Etrack(s): N/A
- Description:
If the Jobs API handled incorrect pagination values, its output differed from the output of the Image API.

Etrack Incident: 3939058

- Associated Primary Etrack: N/A
- Associated Service Request Etrack(s): N/A
- Description:
This Etrack added an "Overview/Getting started" section to the NetBackup API documentation.

Etrack Incident: 3939243

- Associated Primary Etrack: 3933387
- Associated Service Request Etrack(s): 3933385
- Description:
The NetBackup Client Service (nbcs) crashed when attempting to collect custom attributes from a standalone ESXi host.

EEBs and other known issues resolved in NetBackup 8.1

This chapter includes the following topics:

- [Previous EEBs now resolved in NetBackup 8.1](#)
- [Other known issues resolved in NetBackup 8.1](#)

Previous EEBs now resolved in NetBackup 8.1

[Table 3-1](#) contains a listing of known issues with NetBackup that were identified, fixed, and made available to customers in the form of an emergency engineering binary (EEB). NetBackup 8.1 resolves the issues that were fixed with each of these EEBs.

More information on the Etracks that are listed in this topic (and any other service request Etrack) can be found using the Veritas Services and Operations Readiness Tools (SORT) website.

<https://sort.veritas.com/netbackup>

Table 3-1 Previous EEBs now resolved in NetBackup 8.1

Etrack Number	EEB Description
3438839	A vault eject operation may fail on Windows 2008 with status code 287. The SID detail log shows messages indicating that vmchange attempts to execute multiple times, and "vmchange not responding with volumes and aborting the eject."

Table 3-1 Previous EEBs now resolved in NetBackup 8.1 (*continued*)

Etrack Number	EEB Description
3522488	A vault eject operation may fail with status code 287, even though the move to mailslot is successful.
3708346	In some circumstances vault log file shows vmchange not responding with volumes and aborting the eject with status 287 instead of 288, even though the move to mailslot is successful.
3778617	A vault eject operation may abort with status code 287, even though the move to mail-slot is successful.
3782915	Duplication of AIR-replicated VMware backup images to media manager fails with status 227 and error "cannot add fragment to imagedatabase, error = no entity was found".
3832239	This EEB adds additional logging information to help investigate an issue with SSL connections between NBRMMS and SPAD.
3861570	After upgrading to OpsCenter 7.7.1, a log file called java%d.log is created in the /root directory. The file with the highest %d value is locked by OpsCenter and grows to about 350mb when OpsCenter is started. This EEB controls the growth of this file.
3861615	Backups of certain virtual machines run very slowly if the virtual machines contain files with thousands of named streams and file-level mapping is enabled. Disabling file-level mapping allows the backups of these virtual machines to run quickly.
3867371	An SLP duplication job fails with status 191 ("no images were successfully processed") if the image's VMware backups contain failed ASC jobs.
3867771	Backup fails for Unix operating system files with the error message "File [X] shrunk by [Y] bytes, padding with zeros"
3868394	After upgrading to OpsCenter 7.7.1, a log file called java%d.log is created in the /root directory. The file with the highest %d value is locked by OpsCenter, and grows to about 350mb when OpsCenter is started. This EEB controls the growth of this file.
3869212	A vault eject operation may abort with status code 287, even though the move to mailslot was successful. This EEB adds debugging to vltrun to help determine the cause of this problem.
3869731	When performing a restore on a DB2 server, duplicate databases appear in the Backup and Restore GUI, and NetBackup hangs if you attempt to expand the instance to view the instance's table spaces.
3871143	Mapped VMware/Hyper-V backups run very slowly if file-level mapping is enabled and the virtual machine contains thousands of named streams. Disabling file-level mapping allows the backups of these virtual machines to run quickly.

Table 3-1 Previous EEBs now resolved in NetBackup 8.1 (*continued*)

Etrack Number	EEB Description
3871818	An AIR import job failed with error 191: "No images were successfully processed" due to a deadlock condition while updating the image details in the NetBackup database.
3873918	After upgrading from SharePoint 2010 to SharePoint 2013, GRT restores fail with status 2804 ("MS-SharePoint policy restore error") and the GRE log reports SQLSTATE(07002).
3875341	GRT restores in SharePoint 2013 fail with status 2804 ("MS-SharePoint policy restore error") and the GRE log reports SQLSTATE(07002).
3877395	The NetBackup Policy Execution Manager stops submitting jobs.
3879480	A backup fails with status 52 ("timed out waiting for database information") because the ACSD daemon stopped during the backup.
3879872	A snapshot backup fails on Hitachi devices when using the snapshot method "Hitachi_ShadowImage" and an off-host client.
3880102	Status code 1006 ("Unable to load required module NDMPD.NLM") is not listed in the OpsCenter database table "Lookup_JobStatusCode."
3880105	After cloning virtual machines and then recovering them in a disaster recovery (DR) testing environment, OpsCenter reports return their DR names. These names are no longer being backed up.
3881318	This EEB implements a NetBackup S3 plugin fix to support China Mobile, and a CloudProvider.xml configuration file change to include China Mobile Cloud Storage configuration parameters.
3882307	This EEB implements a NetBackup S3 plugin fix to support China Mobile, and a CloudProvider.xml configuration file change to include China Mobile Cloud configuration parameters.
3882845	OpsCenter client summary dashboard report does not show all NetBackup clients.
3888576	A vault eject operation may fail with status code 287 (vault eject failed), even though the move to mail-slot is successful on Windows servers.
3889736	A "Client Not Backed Up" report for a VMware policy type shows media_server name as a client.
3890278	During a vmdk restore in an AIR target environment, accelerated incremental virtual machine images are incorrectly treated as non-accelerated.
3890759	This EEB enables keyword support for stream-based Sybase database agent images, with or without multistreaming.

Table 3-1 Previous EEBs now resolved in NetBackup 8.1 (*continued*)

Etrack Number	EEB Description
3891877	This EEB adds support for the Keyword field in the DB2 Agent for NetBackup 7.7.3 for stream-based backups.
3891879	This EEB adds support for the Keyword field with Sybase stream-based database images.
3893826	After upgrading Linux master and media servers (but not the client) from 7.7.2 to 7.7.3, OIP backups fail with error 1405 (No images are found) after what appears to be an unhandled exception to a SQL query.
3893838	This EEB upgrades Apache Tomcat to version 8.0.33 to fix several vulnerabilities
3894418	Backups are not actually accelerated when the policy points to a app_cluster storage unit with accelerator enabled.
3894656	A vault eject operation may fail with status code 287 (vault eject failed), even though the move to mail-slot is successful on Windows servers.
3895379	Unable to restore from imported tapes because the restored file size is incorrect.
3895387	An SLP duplication job fails with status 191 ("no images were successfully processed") if the image's VMware backups contain failed ASC jobs.
3895410	After upgrading to OpsCenter 7.7.3, a log file called java%d.log is created in the /root directory. The file with the highest %d value is locked by OpsCenter and grows to about 350mb when OpsCenter is started. This EEB controls the growth of this file.
3895443	After upgrading Linux media and master servers (but not the NetBackup client) from 7.7.2 to 7.7.3, OIP backups fail with status code 1405 (No images are found) due to an unhandled exception to a SQL query.
3895479	OpsCenter fails to create a Tabular Backup Report with the error messages "Error while running the schedule report" and "scheduled report execution failed for report".
3895679	OpsCenter custom reports display incorrect client names. Some unique clients display the same client ID, the entityalias entries for some clients show entries for other clients.
3895996	Unable to restore from imported tapes because the restored file size is incorrect.
3896157	Backups of SAP/Sybase ASE v16 environments on AIX fail because the NetBackup 32-bit library is incompatible with the SAP/Sybase 64-bit binaries. This EEB adds a 64-bit library which is compatible with the SAP/Sybase binaries.
3896477	An OpsCenter 7.7.3 stored procedure fails with an unknown exception.
3896635	A Hyper-V intelligent policy fails with status 200 ("scheduler found no backups due to run") if one or more nodes on the Hyper-V cluster is down.

Table 3-1 Previous EEBs now resolved in NetBackup 8.1 (*continued*)

Etrack Number	EEB Description
3897224	A "Clients Not Backed Up" report for a VMware policy type shows media_server names as clients. This can happen for multiple hosts in the same report.
3897240	OpsCenter reports incorrectly show some virtual client host names as fully-qualified domain names.
3897244	The NetBackup Policy Execution Manager stops submitting jobs.
3897274	After running an nbccr command composed of many ChangeVolAssign repairs, a few fail because the VolDB and ImageMedia assign times differ.
3897428	If a database on your system is configured with a database alias, the left pane of the Backup and Restore GUI may show a duplicate entry for that alias and the source database.
3897573	After an upgrade from NetBackup 7.7.1 to 7.7.2, any server which has more than one physical network interface will not honor the PREFERRED_NETWORK setting. The pbx_exchange process produces a core dump intermittently while writing logs.
3897623	After an upgrade from NetBackup 7.7.1 to 7.7.2, any server which has more than one physical network interface will not honor the PREFERRED_NETWORK setting. The pbx_exchange process produces a core dump intermittently while writing logs.
3897726	Backups of certain virtual machines run very slowly if the virtual machines contain files with thousands of named streams and file-level mapping is enabled. Disabling file-level mapping allows the backups of these virtual machines to run quickly.
3897952	Some AIR-replicated import jobs fail with error 191: "No images were successfully processed" due to a deadlock condition while updating the image details in the NetBackup database.
3898185	Single files are listed multiple times in the "Restore Marked Files" screen if multiple images are selected in "Backup history" on the Backup and Recovery GUI.
3898480	Some reports, such as those with the "Job Size" report template, do not complete before OpsCenter times out if they filter for more than one server or include more than one month in their time frame.
3898586	The Problem Report in NetBackup is filled with messages indicating that a volume/storage server is UP, but contains no DOWN messages.
3898713	Copilot backup failures occur if backups fail and the umask values have been changed from the default value set in the Oracle client.
3898959	Duplications do not handle network errors correctly, causing subsequent retries to fail. The bpdm process hangs and consumes 100% of one CPU core. All subsequent attempts to duplicate the same image fail until the hung bpdm is killed manually.

Table 3-1 Previous EEBs now resolved in NetBackup 8.1 (*continued*)

Etrack Number	EEB Description
3899040	When running a Hyper-V backup using a System Center Virtual Machine Manager query, the query detects multiple virtual machines (VMs) with the same ID, which causes primary VMs to be marked as not to be backed up.
3899391	The NetBackup Enterprise Media Manager (nbemm) process crashes and fails over to a passive node after a core dump, but low-verbosity logging does not indicate why the core dump was initiated.
3899722	The Java console hangs on the "Login in progress..." message after credentials are entered, but no errors are reported.
3900035	An upgrade of a clustered Windows master server fails because Microsoft Cluster API calls do not find the device name for the shared disk resource.
3900329	A specific SQL query produces from 10 to 40 seconds of slow performance and high CPU usage.
3900373	The Netbackup Deduplication Engine will not run on HP-UX filesystems larger than 16TB.
3901023	After expanding a 32-bit filesystem, the messaging service flags the file system as corrupted.
3901099	Running the "nbhba -l" command after enabling nbhba mode causes the media server to reboot.
3901148	Multiplexing backups of an Oracle system fail when two different clients are different Oracle users, vnetd is given an incorrect user ID.
3901354	OpsCenter reports incorrectly show some virtual client host names as fully-qualified domain names.
3901719	An OpsCenter Risk Analysis report shows that clients are at risk, even if they have been backed up and should not be present in the report.
3901805	The bpverify command fails with the error message "database contains conflicting or erroneous entries".
3901822	Some jobs appear in the Jobs Monitor with a state of "unknown" and "no status".
3902511	NetBackup 7.7.3 fails to obtain the database list due to a collation conflict, but NetBackup 7.6.1.2 succeeds.
3902559	Deleting one node of a clustered master server returns status code 196 ("EMM database error").
3903041	A client-initiated restore may fail and generate a core dump if the requested file is not found in the data range specified.

Table 3-1 Previous EEBs now resolved in NetBackup 8.1 (*continued*)

Etrack Number	EEB Description
3903072	Instant Recovery fails with error code 5 if the virtual machines were backed up using a Windows media server and only contain empty VMDKs.
3903204, version 4, 3, 2, 1	This Bundle Contains fixes for Accelerator backup failures that result in status 1 ("The requested operation was partially successful"), 13 ("file read failed"), and 84 ("media write error").
3903267	The NBdiscovery service crashes periodically. nbdisco.exe crashes at startup, whether a manual startup or as part of a NetBackup failover from one node to another.
3903360	The "Enable vCloud director integration" checkbox is disabled if a vCloud policy has previously been opened in the Java GUI.
3903449	The "Clients Not Backed Up" report incorrectly shows client backup policies that ran successfully.
3903769	A bare metal restore or alternative client restore drops ownership of files or directories owned by regular users if the user_id is above 2097151 and fits into an 8-character octal number.
3903831	A report with the "all failed backups" template does not display failed backups for multi-stream FS backups.
3903935	A Hyper-V Intelligent Policy excludes replicated virtual machines because it detects that they are duplicates.
3903951, version 3, 2, 1	This EEB allows NetBackup 7.7.3 to integrate with Velocity R7. The changes in this EEB allow NetBackup to write Oracle Copilot backups to a Velocity share, and enables Velocity to provision a copy from that database.
3903952, version 3, 2, 1	This EEB allows NetBackup 8.0 to integrate with Velocity R7/R8. The changes in this EEB allow NetBackup to write Oracle Copilot backups to a Velocity share, and enables Velocity to provision a copy from that database.
3903954	The NetBackup GUI hangs after upgrading to 7.7.3.
3903957	After upgrading to NetBackup 7.7.3, clients with names that include "_AH" (without quotes) might fail with Status 83 "Operation not supported" when backing up to Media Server Deduplication Pool (MSDP).
3904079	Too many SLP jobs are active. The number of active SLP jobs exceeds the number of tape drives.
3904186	Old clients show up in the client summary dashboard report after upgrading to 7.6.1.2.
3904271	Optimized Duplications fail with error 150 ("termination requested by administrator").

Table 3-1 Previous EEBs now resolved in NetBackup 8.1 (*continued*)

Etrack Number	EEB Description
3904720	If a backup image with missing fragments is included in an import operation with other images, and is not the first one to be imported, the import operation will succeed. Attempting to import an image with missing fragments should fail with status 191.
3904730, version 3, 2, 1	This server EEB adds support for backup and recovery of VMware virtual machines that have non-ASCII characters in their display names, or which reside in folders or datastores which have non-ASCII characters in their names.
3904850	Restores of Enterprise Vault FSA placeholders of files from a VMware backup generates files with garbage contents.
3905018	An Index From Snapshot for RD-VMware job fails with status 103 ("error occurred during initialization, check configuration file").
3905065	A Hyper-V Intelligent Policy will fail with status 200 ("scheduler found no backups due to run") when one or more nodes are down.
3905073, version 3, 2, 1	This client EEB adds support for backup and recovery of VMware virtual machines that have non-ASCII characters in their display names, or which reside in folders or datastores which have non-ASCII characters in their names.
3905074	This EEB adds support for backup and recovery of VMware virtual machines that have non-ASCII characters in their display names, or which reside in folders or datastores which have non-ASCII characters in their names.
3905346	This EEB implements the ability to create an OpenStack Swift storage server with Identity v3 credentials, and provides support for FUJITSU Cloud Service K5 provider for Identity v3.
3905362	The BAR GUI fails to browse some folders of NDMP backups with the error message "Unable to obtain list of files" or "Database system error". The directory may be returned empty.
3905545	An incremental backup does not include some files. The archive bits are reset but the files are not backed up.
3905550	The bpbkar process is terminated with an access violation while performing a GRT backup of SharePoint objects.
3905939	When verifying images using bpverify, the bpverify operation may fail intermittently with the error message "database contains conflicting or erroneous entries".
3906170	During a Browse/Restore of a Granular (GRT) Database backup, if the vmrk path is a multifolder hierarchy, datastore and folder names are not extracted correctly and the browse operation fails with the message "ERROR: system database error".
3906200	Multiplexing backups of an Oracle system fail when two different clients are different Oracle users, vneta is given an incorrect user ID.

Table 3-1 Previous EEBs now resolved in NetBackup 8.1 (*continued*)

Etrack Number	EEB Description
3906238	The Activity Monitor shows a Vxss authentication error when you are logged into the Java GUI as an EAM user who has administrative privileges on a clustered master server.
3906313	A VIP policy cannot be saved after updating it to contain vApp information and a vCD query. The save process does not complete.
3906441, version 2, 1	This EEB adds a script which allows a restore to produce on-demand duplication of remote images to a production location from which the restore can run.
3906463	A bare metal restore from SRT media fails if the client that is used for the master has multiple NICs, and ICMP is disabled for communication.
3906483	A remote NDMP tape import fails with status code 191 ("no images were successfully processed") for some images, even if they reside on the same tape.
3906605	A multistream DB2 restore fails with the error "Unexpected End of File of Backup Image" if the original backup streams did not start within 24 hours.
3906624	If a database is backed up during an Exchange backup using multiple streams, the wrong database may be backed up when the job is rescheduled. The second backup may finish with status 0, implying that all the databases were backed
3906682	The Preview Media function in Backup and Restore (BAR) interface gives error 'Null for the fileData arg' when images from two policies are selected at the same time in the GUI. This error does not generate logs, and appears for both disk and tape images.
3906692, version 1	Under considerable load, NetBackup Enterprise Media Manager (nbemm) daemon crashes and produces a core dump.
3906715	This EEB fixes OpenSSL security vulnerability CVE-2016-2107 in NetBackup 7.7.3.
3906984	A backup of a Hitachi VSP G1000 array using the snapshot method "Hitachi_ShadowImage" fails with a snapshot creation error.
3907069	A VMware backup initiated from OpsCenter fails with status 239 ("the specified client does not exist in the specified policy") if the client name (display name) includes a capital letter.
3907124	An NDMP restore of an NDMP drive that has been disabled never finishes and does not produce an exit status code, even though the job appears to be active in the Activity Monitor.
3907213	An OpsCenter stored procedure fails with the error "An unknown exception has occurred" due to a special character in the column name.
3907237	This server EEB adds support for backup and recovery of VMware virtual machines that have non-ASCII characters in their display names, or which reside in folders or datastores which have non-ASCII characters in their names.

Table 3-1 Previous EEBs now resolved in NetBackup 8.1 (*continued*)

Etrack Number	EEB Description
3907238	This client EEB adds support for backup and recovery of VMware virtual machines that have non-ASCII characters in their display names, or which reside in folders or datastores which have non-ASCII characters in their names.
3907239	This EEB adds support for backup and recovery of VMware virtual machines that have non-ASCII characters in their display names, or which reside in folders or datastores which have non-ASCII characters in their names.
3907240	SUSE Linux Enterprise Server 11 SP4 does not appear in the list of compatible operating systems for the NetBackup SAN Client server.
3907273	An off-host SMB of a Hitachi_ShadowImage fails with error 4213 ("Snapshot import failed"). The aixlvmfi log shows that the command "recreatevg" failed on the off-host.
3907334	BMR client configuration fails to run a batch file to unmap NIC which includes Japanese attribute.
3907361	This EEB allows virtual clients to get their client names from the "DNS Name" identified in vCenter.
3907370	An incremental accelerated backup finishes with status 1 ("The requested operation was partly successful") because it attempts to back up client locations which do not exist.
3907676	Multiple telemetry processes appear in system monitor and consume excessive system resources.
3907717	An NDMP backup fails with status 25 if the backup includes multiple file paths which are identical but which use different "set FILES" directives.
3907732	The bpcd process fails to start on the first try, even if the second try is successful.
3907823	A SharePoint 2016 GRT restore fails with status code 2804: "An error caused the restore of the SharePoint data to fail." The ncfgr log shows the error "Unable to identify the SharePoint entity for the target."
3907827	The NetBackup monitor script incorrectly detects that the bprd process is down, which triggers a failover.
3907869	After upgrading to 8.0, a multi-stream backup fails with status 71 ("none of the files in the file list exist") if stat fails for any of the paths.
3907949	A manual backup of SQL intelligent policies from OpsCenter fails with error 239 ("the specified client does not exist in the specified policy"). The backup succeeds if performed from NetBackup, or if the SWL backup was configured with legacy methods.

Table 3-1 Previous EEBs now resolved in NetBackup 8.1 (*continued*)

Etrack Number	EEB Description
3908039, version 1	A VIP policy update cannot be saved in advanced mode if the query contains both vApp information and a vCD query. Also, after toggling away from a policy and double-clicking "Clients", the vCloud policy check box is not selected.
3908096	After an upgrade from NetBackup 7.7.3 to NetBackup 8.0, scheduled and manual backup jobs do not start.
3908102	This EEB implements the ability to create an OpenStack Swift storage server with Identity v3 credentials, and provides support for FUJITSU Cloud Service K5 provider for Identity v3.
3908159	NDMP accelerator-enabled backups fail with status 114.
3908360	A large number of VMware backups fail with error 13 ("file read failed") due to fi_cntl files growing too large and causing timeouts.
3908424	Backups of 64-bit SAP/Sybase ASE v16 environments on AIX fail because the NetBackup 32-bit library is incompatible with the SAP/Sybase 64-bit binaries. This EEB adds a 64-bit library which is compatible with the SAP/Sybase binaries.
3908427	Backups of 64-bit SAP/Sybase ASE v16 environments on AIX fail because the NetBackup 32-bit library is incompatible with the SAP/Sybase 64-bit binaries. This EEB adds a 64-bit library which is compatible with the SAP/Sybase binaries.
3908854	A specific SQL query produces from 10 to 40 seconds of slow performance and high CPU usage.
3908984	Large NDMP restore jobs fail with buffer errors. The ndmpagent log will show "leftover full buffers" errors.
3909024	When attempting to restore a compressed file on a Unix client, the restored file is corrupted and smaller than the backup file.
3909148	An NDMP restore with many fragments (approximately over 5000) will suffer performance degradation during the restore process.
3909350	A Hyper-V Client single file restore fails with status 2821 ("Hyper-V policy restore error").
3909359	After an SLP-managed duplication to tape job fails with status 84 ("media write error"), subsequent attempts to use the same tape also fail with status 86 ("media position error").
3909483	The bpjobd process consumes an excessive amount of memory. Job updates to the job table do not succeed because a RUS client returned invalid characters.
3909490	During a virtual machine discovery job, if login to any vCenter fails, the discovery job fails and no backup jobs are generated.

Table 3-1 Previous EEBs now resolved in NetBackup 8.1 (*continued*)

Etrack Number	EEB Description
3909580	A bare metal restore or alternative client restore drops ownership of files or directories owned by regular users if the user_id is above 2097151 and fits into an 8-character octal number.
3909594	The bpverify command fails with the error message "database contains conflicting or erroneous entries".
3909769	An alternate client restore of an replicated OpenVMS client backup uses the wrong diskpool.
3909856	Clients with names that include "_AH" (without quotes) might fail with Status 83 ("Operation not supported") when backing up to Media Server Deduplication Pool (MSDP).
3909865	When running a restore, many jobs are provisioned and some of the restore requests are answered by bprd, but no jobs are queued up and the restore fails.
3909919	Backups with accelerator enabled are not actually accelerated when the policy points to an app_cluster storage unit.
3910073	After upgrading from NetBackup 7.7.3 to 8.0, OpsCenter data collection fails with multiple foreign key errors.
3910118	An Exchange GRT backup fails with error 13 (file read failed) and a bpfis fatal exception.
3910233	Backups of 64-bit SAP/Sybase ASE v16 environments on Solaris fail because the NetBackup 32-bit library is incompatible with the SAP/Sybase 64-bit binaries. This EEB adds a 64-bit library which is compatible with the SAP/Sybase binaries.
3910423	The NetBackup Backup and Archive process (bbbkav) consumes a large amount of memory in NetBackup 8.0, due to a suspected memory leak issue.
3910598	A bare metal restore or alternative client restore drops ownership of files or directories owned by regular users if the user_id is greater than 2097151 and fits into an 8-character octal number.
3910833	After AIR replication of an image to a media server, an attempt to restore the image fails if it used the replication server instead of the backup media server.
3910851	An installation of NetBackup 8.0 on a Windows 2016 Hyper-V virtual machine with Secure Boot enabled failed with the error "A digitally signed driver is required. Windows blocked the installation of a digitally unsigned driver."
3910861	Incremental changes for bprd (internal use only)
3910880	If a SQL Server database name is a single character, NetBackup catalogs it between slash (/) characters. For example, database "A" is catalogued as "/A/".
3910903	An incremental backup with no change set skips available media and mounts active media instead. The NetBackup Tape Manager receives an I/O error while positioning the media.

Table 3-1 Previous EEBs now resolved in NetBackup 8.1 (*continued*)

Etrack Number	EEB Description
3910904	A Tabular Backup Report is blank for a particular client if the client ID and entity ID of the client object and media server object do not match on that client, and if the Client Name filter is selected on the report.
3910991	When backing up all instances of SQL 2012 or higher, the backup will complete with status 0, even if an instance was skipped due to a permission error.
3911042	A compressed restore on a Unix system can be restored successfully, but may be corrupted.
3911251	The "All Failed Backups" report does not display both Snapshot and backup failed jobs.
3911259	The NBDNA utility v2.5 only performs self-tests on UNIX/Linux systems, because a necessary file was renamed in NetBackup versions 7.7.2 and later.
3911271	A full NDMP accelerator backup fails with status code 41 ("network connection timed out") during a write to catalog operation.
3911315	The bpcd process fails with error 145: "daemon is already running".
3911374	Bundle of bprd changes
3911451	This EEB includes several nbdeployutil enhancements, including accurate reporting of data overlaps in FileSystem and SQL agent backup policies, incremental gathering and reporting of capacity usage information, and a job to trigger nbdeployutil daily.
3911452	This EEB includes several nbdeployutil enhancements, including accurate reporting of data overlaps in FileSystem and SQL agent backup policies, incremental gathering and reporting of capacity usage information, and a job to trigger nbdeployutil daily.
3911646	An NDMP backup succeeds but is not restorable because the backup is missing directory information. This EEB will cause the backup job to fail with status 42 if this information is missing.
3911697	Japanese messages in Activity Monitor are not displayed correctly in 8.0. Characters with SJIS encoding appear as garbage characters in the Job Details tab.
3911750	After upgrading to NetBackup 8.0, a VMware backup which succeeded before the upgrade appears to complete successfully with status 0, but does not restore individual files and folders.
3912274	An NDMP backup fails with status code 25 ("cannot connect on socket") if the backup includes multiple file paths which are identical but which use different "set FILES" directives.
3912319	A file's modification time is reset to 0 after it is backed up.
3912471, version 3, 2, 1	Bundle of bprd fixes and changes

Table 3-1 Previous EEBs now resolved in NetBackup 8.1 (*continued*)

Etrack Number	EEB Description
3912472	Bundle of NetBackup server fixes.
3912564	A backup of a Hitachi VSP G1000 array using the snapshot method "Hitachi_ShadowImage" fails with a snapshot creation error.
3912573	The EEB adds the DB2_SERVER and DB2_CLIENT variables to the DB2 OPTIONS command line.
3912576	After upgrading a master server from 7.7.3 to 8.0, any accelerator-enabled backup jobs for which a previous backup copy exists produce a accl_send_image_align_guide warning and are delayed by 5 minutes.
3912678	Bundle of NetBackup client fixes.
3912679, version 6	Bundle of NetBackup client fixes and changes for bpnbat and bpcd.
3912680	Bundle of NetBackup client fixes.
3912916	The table nb_JobDbInstanceArchive does not show job details for SQL intelligent policies, but shows traditional SQL backups which use batch files.
3913017	When parsing NetBackup events posted to vCenter in a non-English system locale, the backup events graph may contain no visible event data.
3913038	A GRT browse or restore operation fails with the message "ERROR: system database error" if the vmdk path is a multifolder hierarchy.
3913179, version 3, 2, 1	Bundle of bprd fixes and changes
3913192	Snapshot deletion fails with status 4204 ("incompatible client found"), but the snapshot job is still marked as successful instead of a partial success.
3913341	When selecting a SQL differential database image for backup using the NetBackup SQL client, the "create move template" option is not available in the Restore Options - Scripting dropdown menu.
3913548	This EEB upgrades the Apache struts2 libraries to resolve Apache vulnerability CVE-2017-5638.
3913549	This EEB fixes security vulnerability CVE-2017-5638 in NetBackup 7.7.3.
3913550	This EEB fixes OpsCenter security vulnerability CVE-2017-5638 in NetBackup 8.0.
3913591	Unable to generate a single file recovery map for a Unix virtual machine configured for logical volume management and softlinks for some directories.

Table 3-1 Previous EEBs now resolved in NetBackup 8.1 (*continued*)

Etrack Number	EEB Description
3913674	When a Windows backup is imported on a media server which is running an operating system that is big endian (such as Solaris Sparc), phase 1 and 2 of the import are successful but the backup cannot be browsed.
3913796	An incremental backup does not include certain files. The archive bits were reset, but the files were not backed up.
3913859	Some client fully-qualified domain names are reported incorrectly in OpsCenter.
3913881	The NetBackup GUI freezes after an upgrade.
3914209	The NBDNA utility v2.5 only performs self-tests on UNIX/Linux systems, because a necessary file was renamed in NetBackup versions 7.7.2 and later.
3914210	A file's modification time is reset to 0 after it is backed up.
3914428	Inferior performance of nbtar restores in NetBackup 7.7.3 compared to the restore performance of previous tar files in NetBackup 7.7.1.
3914512	A VMware backup with mapping and optimizations enabled succeeds, but after the operation the VMDK is locked and snapshot removal fails. After the lock expires, the snapshot can be manually removed.
3914520	When Replication Director is used to protect VMware, index jobs using the SLP "Index from Replica" sometimes fail with status 144 ("invalid command usage").
3914602	After upgrading from NetBackup 7.6.1.2 to 8.0, multiple Sharepoint content databases experience GRT failures.
3914844	After an upgrade to NetBackup 8.0, a failover on a Sun Cluster causes the nbwebservice process to shut down.
3914944	If an Oracle restore brings back a control file which has information about a backup that is no longer on the share or in the RMAN catalog, the next Oracle backup will fail.
3915146	After upgrading to NetBackup 7.7.3, when selecting multiple files to restore, only a subset of files are restored with no signs of errors.
3915424, version 3, 2, 1	bpdbm stops due to 'software has expired', since daemonized bpdbm hits lots of EMFILE failure
3915496	Backups of SQL 2012 and later complete with status 0 even if all instances are not backed up successfully.
3915497	Backups of SQL 2012 and later complete with status 0 even if all instances are not backed up successfully.

Table 3-1 Previous EEBs now resolved in NetBackup 8.1 (*continued*)

Etrack Number	EEB Description
3915645	An Exchange 2007 GRT restore to the same location fails due to a MAPI logon failure.
3915971	This EEB adds the capability to generate new VMDK disk UUIDs during the instant recovery of VMware virtual machines.
3916027	An Exchange GRT backup fails with error 13 ("file read failed") and a bpfis fatal exception.
3916030	A backup fails with status 52 ("timed out waiting for database information") because the ACSD daemon stopped during the backup.
3916033	A backup fails with status 52 ("timed out waiting for database information") because the ACSD daemon stopped during the backup.
3916118	The NetBackup Archive process (bparchive) removes files which have been added to a directory, even if they have not been backed up.
3916147	An SAP/Oracle multi-stream restore of a multi-stream backup succeeds with status 0, but some files are listed as not restored.
3916403	The SnapshotEvent process runs intermittently and at incorrect times.
3916781	The NetBackup Policy Execution Manager intermittently stops scheduling jobs.
3916825	After an upgrade to NetBackup appliance 3.0, single file restores fail on Windows virtual machines (VMs). After the upgrade, mapping fails on these VMs, and they contain no dynamic disks.
3916875	If a client has been added to the Client Attributes, an export of host properties of a master server fails.
3916893	After upgrading to NetBackup 8.0, a traditional licensing report shows capacity as '0'. After the upgrade, the log shows clients with their short host names, where before the report it showed them with their fully-qualified domain names.
3916997	A remote NDMP tape import fails with status code 191 ("no images were successfully processed") for some images, even if they reside on the same tape.
3917066	The preinstall nbcheck process does not check for user membership in the domain local group.
3917184	After installing the OpsCenter Struts EEB, no AD domain drop-down selections appear when adding a new user.
3917196	After upgrading Linux master and media servers (but not the client) from 7.7.2 to 7.7.3, OIP backups fail with error 1405 ("No images are found") after what appears to be an unhandled exception to a SQL query.

Table 3-1 Previous EEBs now resolved in NetBackup 8.1 (*continued*)

Etrack Number	EEB Description
3917353	Attempting to restore a full virtual machine from an IBM Cleversafe S3 cloud object storage fails with status code 2820 ("NetBackup VMware policy restore error"). Verification operations on this VM fail with status code 85 ("media read error").
3917467	NetBackup initialization takes longer than it should on Windows systems. Policies with hundreds or thousands of streams can suffer hours of performance degradation.
3917921	A manual backup of SQL intelligent policies from OpsCenter fails with error 239 ("the specified client does not exist in the specified policy"). The backup succeeds if performed from NetBackup, or if the SWL backup was configured with legacy methods.
3918179	If a client has been added to the Client Attributes, an export of host properties of a master server fails.
3918337	A GRT restore browse fails with status 227 ("no entity was found") for Exchange 2016.
3918386	A multistream backup fails if its backup selection includes a wildcard and any of the folders selected by that wildcard include special characters in their names.
3918613	NetBackup is unable to use a source port above 1000 for a NetBackup File System Service (nbfsd) connection.
3918619	The NetBackup Cloud Storage Service Container produces a core dump during backups to SwiftStack cloud storage.
3918718	Performing a differential backup on an ReFS file system can result in data loss.
3918719	Performing a differential backup on an ReFS file system can result in data loss.
3918720	After a valid OpsCenter "media server unreachable" alert with an "active" status is set to "cleared", another identical alert set to "active" appears shortly after.
3919046	The NetBackup 7.7.3 PBX service stops intermittently and may generate a core dump.
3919343	When selecting a SQL differential database image for backup using the NetBackup SQL client, the "create move template" option is not available in the Restore Options - Scripting dropdown menu.
3919407	If two or more clients have been added to Client Attributes, the exported client names for all clients except the first are returned as zero.
3919447	The NetBackup database server uses a high amount of CPU if the database contains many image fragments and media IDs.
3919776	NetBackup / Veritas Cluster Server monitor script incorrectly detects the status of the bprd process, which triggers a fail over.

Table 3-1 Previous EEBs now resolved in NetBackup 8.1 (*continued*)

Etrack Number	EEB Description
3919843	Files from Isilon snapshots cannot be backed up via a CIFS share due to Windows error 19 ("Media is write protected").
3919867	OpsCenter reports show incorrect client names after upgrading to NetBackup 8.0 and installing 8.0 plugins to vCenter.
3920114	Files from Isilon snapshots cannot be backed up via a CIFS share due to Windows error 19 ("Media is write protected").
3920230	After upgrading to NetBackup 8.0, the NetBackup Web Management Console fails to start with the SQL exception "java.sql.SQLException: JZ0SU:" and produces a core dump.
3920236	Backups of certain virtual machines run very slowly if the virtual machines contain files with thousands of named streams and file-level mapping is enabled. Disabling file-level mapping allows the backups of these virtual machines to run quickly.
3920421	The host properties of a master server cannot be exported if one or more targets has been added to the Preferred Network. A blank dialog box with an OK button appears.
3920601	After upgrading to NetBackup 8.0, physical-to-virtual testing fails and tar32.exe produces a crash dump.
3920722	Backups of Sybase 64bit ASE v16 on Solaris fail because libsybackup.so is incompatible with 64bit Sybase backup API. Sybase returns the error "Unable to open API library for device".
3920957	Hyper-V backups of fixed-size VHD appear successful, but do not back up the disks. The Backup and Restore GUI does not display the volume size for the backed-up volumes.
3921259, version 1	This EEB resolves a binary conflict between two other EEBs which add support for the Keyword field in Sybase and DB2 backup images.
3921298	Some client fully-qualified domain names are reported incorrectly in OpsCenter.
3921806	An NDMP image is registered due to a successful previous backup, but cannot be restored or the files are not listed.
3921820, version 1	A VMware single file restore fails with status code 2820 ("NetBackup VMware policy restore error") if the master server does not have access to the client.
3922051, version 1	This EEB resolves a conflict between two other EEBs which add functionality for the Keyword field in Sybase and DB2.
3922353	An Accelerator-enabled backup job becomes unresponsive and never writes data. The process must be ended manually.

Table 3-1 Previous EEBs now resolved in NetBackup 8.1 (*continued*)

Etrack Number	EEB Description
3922555	An OpsCenter 7.7.3 stored procedure fails with an unknown exception. The report shows the message "an unknown exception has occurred".
3922853	Inferior performance of nbtar restores in NetBackup 7.7.3 compared to the restore performance of previous tar files in NetBackup 7.7.1.
3922936	An Accelerated backup for NDMP fails with error 41 ("network connection timed out").
3923035, version 1	After upgrading to NetBackup 8.0, physical-to-virtual testing fails and tar32.exe produces a crash dump.
3923206	Unable to expand Exchange mailboxes in the restore browser. The browser also shows a public folder mailbox in all databases, instead of only in the database that hosts it, and inappropriately displays system mailboxes.
3923348	Inferior performance of nbtar restores in NetBackup 8.0 compared to the restore performance of tar file restores in prior versions.
3923380	Using the bpxpdate command to extend the retention period of a VMware image which was created using Replication Director policy fails with "Unable to process request."
3923616	After successfully running multiple concurrent backup jobs to SwiftStack Object Storage, NetBackup fails to verify all of them. This issue can cause potential data loss.
3923662	If the vCenter login process fails during virtual machine discovery for a VIP query, the discovery job fails and no backup jobs are generated. This EEB fixes this to no longer be a fatal error, and allows the job to proceed with for discovered VMs.
3923667	The NetBackup 8.0 monitoring script incorrectly fails to detect that the bprd process is running, which triggers a failover.
3923968	A System State Restore fails to start when restoring from a Synthetic Full Backup.
3924134	Backup images written to the Disk Staging Storage Unit cannot be duplicated to the final destination storage if the client name contains an underscore ("_") character followed by a 10-digit number.
3924222, version 1	After expanding a 32-bit Logical Volume Management, the Veritas Federated Mapping Service skips the filesystem. Also, a virtual machine backup succeeds but the Virtual Machine Development Kit becomes unresponsive and snapshot removal fails.
3924521	After installing an EEB which installs OpsCenter struts, the "Domain Name" field on the Add User screen does not show a drop-down menu.
3924964	This EEB fixes several issues with Exchange 2016 CU5. The Exchange interface cannot expand, restore, or browse any mailboxes, can only expand a public folder mailbox from the database that hosts it, and cannot restore system mailboxes.

Table 3-1 Previous EEBs now resolved in NetBackup 8.1 (*continued*)

Etrack Number	EEB Description
3925149	A full restore of a virtual machine does not restore data from a FAT32 drive.
3925162	After upgrading to NetBackup 8.0, a multi-stream backup fails with status 71 ("none of the files in the file list exist") if the stat command fails for any of the paths.
3925321	Exporting host properties of a master server fails if two or more clients have been added to the Clients Attributes, or if one or more targets have been added to the Preferred Network.
3925598	The Authentication Broker for Amazon C2S does not send its cloud communication through the appropriate proxy, only its data.
3925839	Phase 2 of an image import where the image is larger than 100 GB fails with status code 50 ("client process aborted").
3926366	A SharePoint 2016 GRT restore fails with status code 2804 ("MS-SharePoint policy restore error") due to inadequate user permissions.
3926633	The Veritas Federated Mapping Service mapping process leaks memory when the incremental backup schedule is run for a VMware policy.
3926641	After running the "nbftsrv_config -nbhba" command, running "nbhba -l" causes the server to reboot.
3927093, version 1	The NBCheck preinstall script fails when used to validate user memberships in local domain accounts, as well as when verifying the domain controller.
3927993	The NetBackup Archive process (bparchive) removes files which have been added to a directory, even if they have not been backed up.
3928006	Accelerator-enabled NDMP backups fail with either status code 114 ("unimplemented error code") or 13 ("file read failed"). Backups work again after the track logs are cleared.
3928433	The Authentication Broker for Amazon C2S does not send its cloud communication through the appropriate proxy, only its data.
3928484, version 1	This EEB bundles several other EEBs together to resolve a conflict between them.
3928959	When restoring an Enterprise Vault placeholder file from a VMware backup image, the size of the placeholder file on disk is the same as the size of the original file.
3929557	The NetBackup Cloudstore Service Container (process nbcssc) produces a core dump when writing to cloud storage.
3930039	Unable to generate a single file recovery map for a Unix virtual machine configured for logical volume management and softlinks for some directories.

Other known issues resolved in NetBackup 8.1

This topic contains a list of some of the known issues that were fixed and included in the NetBackup 8.1 release.

Etrack Incident: 3863843

- Associated Primary Etrack: 3863844
- Associated Service Request Etrack(s): 3867093
- Description:
In the Cost tabular report, values in the Amount column display too many characters after the decimal point.

Etrack Incident: 3865968

- Associated Primary Etrack: 3865854
- Associated Service Request Etrack(s): 3865853
- Description:
OpsCenter added a second forward slash ("/") to the destination path, causing restore jobs to fail with status code 185: "tar did not find all the files to be restored."

Etrack Incident: 3871112

- Associated Primary Etrack: 3866697
- Associated Service Request Etrack(s): 3866695
- Description:
Renaming a file restore from OpsCenter to a NAS/NDMP client created files with additional "~1" (tilde followed by a numeral one) characters in the name.

Etrack Incident: 3872756

- Associated Primary Etrack: 3893571
- Associated Service Request Etrack(s): 3893570
- Description:
The Java GUI was unable to restore a virtual machine located on CSV to an SMB 3.0 share, and vice versa. This etrack checked in the GUI code changes.

Etrack Incident: 3879315

- Associated Primary Etrack: 3877831
- Associated Service Request Etrack(s): 3877830
- Description:

If the date range of a "NetBackup Disk Pool Size vs. Percentage Full" report began before daylight savings time and included the current date, the current date appeared as 0% used.

Etrack Incident: 3882315

- Associated Primary Etrack: 3868088
- Associated Service Request Etrack(s): 3868087
- Description:
VMware Single File Restore failed on RedHat Linux for folders which had Access Control Lists set using the setfacl utility. The restore failed with the error "errno = 22: Invalid argument" due to "chmod 40444 /logs/part3 to reset permissions."

Etrack Incident: 3896609

- Associated Primary Etrack: 3895317
- Associated Service Request Etrack(s): 3895315
- Description:
When configuring Cloud Storage Server, the data compression checkbox did not appear on some master servers.

Etrack Incident: 3898487

- Associated Primary Etrack: 3897581
- Associated Service Request Etrack(s): 3897580
- Description:
"Awaiting resource" messages in the job details of a bpdbjobs report were not comma-separated.

Etrack Incident: 3898618

- Associated Primary Etrack: 3898219
- Associated Service Request Etrack(s): 3898218
- Description:
The saved value of a custom retention period changed when the user selected another retention period and then selected the custom retention period again.

Etrack Incident: 3900186

- Associated Primary Etrack: 3899540
- Associated Service Request Etrack(s): 3899539
- Description:
After replication, a target master server recorded hundreds of "invalid entry" warnings in the bperro log.

Etrack Incident: 3901368

- Associated Primary Etrack: 3900384
- Associated Service Request Etrack(s): 3900383
- Description:
Microsoft Exchange DAG resolution does not differentiate between two DAGs with the same short name, even if their FQDNs differ.

Etrack Incident: 3902042

- Associated Primary Etrack: N/A
- Associated Service Request Etrack(s): N/A
- Description:
This etrack added parent-inode support to libcatalog for NDMP backups.

Etrack Incident: 3902060

- Associated Primary Etrack: 3901288
- Associated Service Request Etrack(s): 3901287
- Description:
When running the "Configure Storage Devices" wizard on a clustered master server, the device scan failed with the error message "Invalid host(88) The host is not defined in EMM".

Etrack Incident: 3903172

- Associated Primary Etrack: 3806950
- Associated Service Request Etrack(s): 3806948
- Description:
Sharepoint GRT cataloging process slowed to a crawl on certain List objects because the physical objects resided outside the SQL Content Database.

Etrack Incident: 3903413

- Associated Primary Etrack: 3903265
- Associated Service Request Etrack(s): 3903264
- Description:
When attempting to browse backup files in the Policy Backup Selection wizard, any byte size over 4GB was displayed as a stack overflow.

Etrack Incident: 3903502

- Associated Primary Etrack: N/A
- Associated Service Request Etrack(s): N/A

- **Description:**
The NetBackup GUI did not display the correct server version in connection error messages. The GUI truncated the second decimal point and third digit (for example: 7.7 instead of 7.7.3).

Etrack Incident: 3903720

- Associated Primary Etrack: N/A
- Associated Service Request Etrack(s): N/A
- **Description:**
When Auditing was disabled, NetBackup would not report some events, which may have been highly relevant to domain security. Because we do not report changes to AUDITING in the reports, the customer may have had a false sense of security.

Etrack Incident: 3904057

- Associated Primary Etrack: 3903495
- Associated Service Request Etrack(s): 3903493
- **Description:**
OpsCenter reports did not correctly filter clients for Windows 2012 and Windows Server 2012 R2. Many clients which should have been displayed were instead omitted.

Etrack Incident: 3904161

- Associated Primary Etrack: N/A
- Associated Service Request Etrack(s): N/A
- **Description:**
After a restart due to system panic, web services were not running due to a PID conflict.

Etrack Incident: 3904246

- Associated Primary Etrack: 3904195
- Associated Service Request Etrack(s): 3904194
- **Description:**
The Activity Monitor did not correctly display the Detailed Status of an active duplication job when the user attempted to navigate to the active job details from the Detailed Status screen of the previous job.

Etrack Incident: 3905174

- Associated Primary Etrack: N/A

- Associated Service Request Etrack(s): N/A
- Description:
The nbtar process produced a large amount of extraneous logs when verbosity was set to 0.

Etrack Incident: 3905371

- Associated Primary Etrack: 3903582
- Associated Service Request Etrack(s): 3903581
- Description:
When attempting to browse the results of a large import job in the NetBackup GUI, the NetBackup console hangs and opens several dialogue boxes with "Memory usage ~95-100%" messages.

Etrack Incident: 3905621

- Associated Primary Etrack: N/A
- Associated Service Request Etrack(s): N/A
- Description:
The bpps command fails to report the nbwebsvc process when run by a non-root user.

Etrack Incident: 3906096

- Associated Primary Etrack: 3905860
- Associated Service Request Etrack(s): 3905859
- Description:
Setting the schedule frequency too high caused nbpem to stop with an assertion failure

Etrack Incident: 3906647

- Associated Primary Etrack: N/A
- Associated Service Request Etrack(s): N/A
- Description:
If MAX_NUM_LOGFILES was set to 0 or 1 in the bp.conf file, this file was overwritten continuously. This could cause processes to generate core dumps.

Etrack Incident: 3907630

- Associated Primary Etrack: N/A
- Associated Service Request Etrack(s): N/A
- Description:

vCenter credentials were always associated with "Any" media server, even when the credentials were added to a specific server.

Etrack Incident: 3908268

- Associated Primary Etrack: 3908177
- Associated Service Request Etrack(s): 3908176
- Description:
When trying to add a new node to a High Availability Cluster Multiprocessing cluster while installing NetBackup 7.1, the following error appeared: "Service label [label] is already configured into a resource group. Initial NetBackup HA configuration must be into a resource group that does not already exist. Please rerun this script, specifying either a preexisting, unassigned service label, or a not yet configured virtual name which will be configured as an ipaliased service label by this utility."

Etrack Incident: 3908335

- Associated Primary Etrack: 3907815
- Associated Service Request Etrack(s): 3907814
- Description:
If a Windows backup host had an asterisk (*) as an entry in the exclude list, full backups of any virtual machine failed with status 90, and incremental backups showed status 0 and did not back anything up.

Etrack Incident: 3909849

- Associated Primary Etrack: 3909776
- Associated Service Request Etrack(s): 3909775
- Description:
In a SIP policy, the "Parallel Backup Operations" parameter is present in both the "Transaction Log Options" and the "Database Options". If a value was given for this parameter in "Database Options", the value specified in the "Transaction Log Options" was ignored.

Etrack Incident: 3910320

- Associated Primary Etrack: 3907798
- Associated Service Request Etrack(s): 3907796
- Description:
The nbemm process exhibited a memory leak when an invalid server name was repeatedly provided to the bpmedialist -h command.

Etrack Incident: 3910550

- Associated Primary Etrack: 3909489
- Associated Service Request Etrack(s): 3909488
- Description:
If the Web Service Account and Group named during installation were not Domain-based, the pre-install check failed with the error "Critical error found during pre-install check" was thrown.

Etrack Incident: 3910709

- Associated Primary Etrack: N/A
- Associated Service Request Etrack(s): N/A
- Description:
The volume master daemon did not authenticate any incoming connections or command requests by default. The daemon only authenticated based on the server list if AUTHENTICATION_REQUIRED was set in vm.conf.

Etrack Incident: 3910736

- Associated Primary Etrack: 3910475
- Associated Service Request Etrack(s): 3910474
- Description:
The "Configure Cloud Storage Server" wizard failed with the error message "Login credentials verification failed for server xxxx."

Etrack Incident: 3912527

- Associated Primary Etrack: 3912466
- Associated Service Request Etrack(s): 3912465
- Description:
The VIP query editor did not display queries correctly if any filters in the query contained the words "and" or "or".

Etrack Incident: 3913171

- Associated Primary Etrack: 3913060
- Associated Service Request Etrack(s): 3913059
- Description:
A VIP query truncated virtual machine network names if they ended with any characters in parentheses, and did not report these VMs in query results.

Etrack Incident: 3913566

- Associated Primary Etrack: N/A

- Associated Service Request Etrack(s): N/A
- Description:
VMware backups did not report virtual machine parameters in snapshot jobs.

Etrack Incident: 3914158

- Associated Primary Etrack: 3910002
- Associated Service Request Etrack(s): 3910001
- Description:
The "VirtiFile.Sys" minifilter setting did not use the default altitude value which Microsoft recommended (280700).

Etrack Incident: 3914272

- Associated Primary Etrack: 3914062
- Associated Service Request Etrack(s): 3914060
- Description:
After backing up a VM, powering it off, restoring it with the original settings, and running the backup again, the original VM is backed up instead of the new one, even though the original VM is powered off.

Etrack Incident: 3916420

- Associated Primary Etrack: N/A
- Associated Service Request Etrack(s): N/A
- Description:
vxms logs were not being cleaned up because they did not conform to the filename patterns used to determine what files were logs.

Etrack Incident: 3916924

- Associated Primary Etrack: N/A
- Associated Service Request Etrack(s): N/A
- Description:
This etrack implemented a new web service which creates audit records if certificate validation fails. For more information, see NBU-40376.

Etrack Incident: 3916946

- Associated Primary Etrack: 3916928
- Associated Service Request Etrack(s): 3916927
- Description:

When the user attempted to change the NetBackup time zone through the "Adjust Application Timezone" option in NetBackup interface, the Activity Monitor did not reflect the change.

Etrack Incident: 3917170

- Associated Primary Etrack: 3917051
- Associated Service Request Etrack(s): 3917049
- Description:
After an upgrade to NetBackup 8.0, some NetBackup Web Management Console and Tomcat services prevented the creation of host ID-based certificates to allow access to the NetBackup user interface.

Etrack Incident: 3917173

- Associated Primary Etrack: N/A
- Associated Service Request Etrack(s): N/A
- Description:
This etrack implemented several TPIP upgrades for OpsCenter. It upgraded iTect from version 5.2.1 to 5.5.11, mail from 1.4.4 to 1.4.7, cloning from 1.7.4 to 1.9.3, and objensis from 1.2 to 2.5.1.

Etrack Incident: 3917715

- Associated Primary Etrack: 3917456
- Associated Service Request Etrack(s): 3917455
- Description:
The Backup Archive and Restore Preview button failed with the error "No media required for restore. Images are on a disk" if the client name contained a space character.

Etrack Incident: 3919022

- Associated Primary Etrack: 3918990
- Associated Service Request Etrack(s): 3918988
- Description:
The Backup and Archive Manager crashed when running a backup with Active Directory Application Mode enabled.

Etrack Incident: 3919274

- Associated Primary Etrack: N/A
- Associated Service Request Etrack(s): N/A
- Description:

After upgrading to NetBackup 8.0, the NetBackup CloudStore Service Container tried to use an old certificate whose hostname was no longer present in the environment.

Etrack Incident: 3919901

- Associated Primary Etrack: 3919894
- Associated Service Request Etrack(s): 3919892
- Description:
A Bare Metal Restore failed with the error "Could not create first boot script".

Etrack Incident: 3920217

- Associated Primary Etrack: 3912307
- Associated Service Request Etrack(s): 3912306
- Description:
During a manual failover of a clustered master server, the NetBackup EMM daemon froze.

Etrack Incident: 3920413

- Associated Primary Etrack: N/A
- Associated Service Request Etrack(s): N/A
- Description:
This etrack created a mailing infrastructure to send email notifications from SLP.

Etrack Incident: 3922739

- Associated Primary Etrack: 3922694
- Associated Service Request Etrack(s): 3922691
- Description:
This etrack fixes security vulnerabilities on server ports 13783 and 5637.

Etrack Incident: 3922818

- Associated Primary Etrack: 3919970
- Associated Service Request Etrack(s): 3919969
- Description:
After upgrading to NetBackup 8.0, the -getCACertificate operation fails with status code 5969 ("Response from the NetBackup Web Management Console service could not be parsed")

Etrack Incident: 3923661

- Associated Primary Etrack: N/A

- Associated Service Request Etrack(s): N/A
- Description:
After upgrading to NetBackup 8.0, certificate deployment failed with status code 8503 ("Unknown error returned by CURL").

Etrack Incident: 3923907

- Associated Primary Etrack: N/A
- Associated Service Request Etrack(s): N/A
- Description:
This etrack stamps .war files with static strings to identify the version of its EEB.

Etrack Incident: 3926684

- Associated Primary Etrack: 3910460
- Associated Service Request Etrack(s): 3910459
- Description:
User was unable to set the granular proxy server for a Database Availability Group in the NetBackup GUI.

About SORT for NetBackup Users

This appendix includes the following topics:

- [About Veritas Services and Operations Readiness Tools](#)
- [Recommended SORT procedures for new installations](#)
- [Recommended SORT procedures for upgrades](#)

About Veritas Services and Operations Readiness Tools

Veritas Services and Operations Readiness Tools (SORT) is a robust set of standalone and web-based tools that support Veritas enterprise products. For NetBackup, SORT provides the ability to collect, analyze, and report on host configurations across UNIX/Linux or Windows environments. This data is invaluable when you want to assess if your systems are ready for an initial NetBackup installation or for an upgrade.

Access SORT from the following webpage:

<https://sort.veritas.com/netbackup>

Once you get to the SORT page, more information is available as follows:

- **Installation and Upgrade Checklist**
Use this tool to create a checklist to see if your system is ready for a NetBackup installation or an upgrade. This report contains all the software and the hardware compatibility information specific to the information provided. The report also includes product installation or upgrade instructions, as well as links to other references.

- **Hot fix and EEB Release Auditor**
 Use this tool to find out whether a release that you plan to install contains the hot fixes that you need.
- **Custom Reports**
 Use this tool to get recommendations for your system and Veritas enterprise products.
- **NetBackup Future Platform and Feature Plans**
 Use this tool to get information about what items Veritas intends to replace with newer and improved functionality. The tool also provides insight about what items Veritas intends to discontinue without replacement. Some of these items include certain NetBackup features, functionality, 3rd-party product integration, Veritas product integration, applications, databases, and the OS platforms.

Help for the SORT tools is available. Click **Help** in the upper right corner of the SORT home page. You have the option to:

- Page through the contents of the help similar to a book
- Look for topics in the index
- Search the help with the search option

Recommended SORT procedures for new installations

Veritas recommends new NetBackup users perform the three procedures that are listed for an initial introduction to SORT. The tool has many other features and functions, but these serve as a good introduction to SORT. In addition, the procedures provide a helpful base of knowledge for other SORT functionality.

Table A-1

Procedure	Details
Create a Veritas Account on the SORT webpage	See “To create a Veritas Account on the SORT page” on page 55.
Create generic installation reports	See “To create a generic installation checklist” on page 55.
Create system-specific installation reports	See “To create a system-specific installation report for Windows” on page 56. See “To create a system-specific installation report for UNIX or Linux” on page 57.

To create a Veritas Account on the SORT page

- 1 In your web browser, navigate to:
<https://sort.veritas.com/netbackup>
- 2 In the upper right corner, click **Login**, then click **Register now**.
- 3 Enter the requested login and contact information:

Email address	Enter and verify your email address
Password	Enter and verify your password
First name	Enter your first name
Last name	Enter your last name
Company name	Enter your company name
Country	Enter your country
Preferred language	Select your preferred language
CAPTCHA text	Enter the displayed CAPTCHA text. If necessary, refresh the image.

- 4 Click **Submit**.
- 5 When you receive your login information, you can log into SORT and begin uploading your customized information.

To create a generic installation checklist

- 1 In your web browser, navigate to:
<https://sort.veritas.com/netbackup>
- 2 Find and select the **Installation and Upgrade Checklist** widget.

3 Specify the requested information

Product	Select the appropriate product from the drop-down menu. For NetBackup select NetBackup Enterprise Server or NetBackup Server .
Product version you are installing or upgraded to	Select the correct version of NetBackup. The most current version is always shown at the top of the list.
Platform	Select the operating system that corresponds to the checklist you want generated.
Processor	Select the correct processor type for your checklist.
Product version you are upgrading from (optional)	For new installations, do not make any selections. For upgrades, you can select the currently installed version of NetBackup.

4 Click **Generate Checklist**.

- 5** A checklist corresponding to your choices is created. You can modify your selections from this screen, and click **Generate Checklist** to create a new checklist.

You can save the resulting information as a PDF. Numerous options are available for NetBackup and many of them are covered in the generated checklist. Please spend time reviewing each section to determine if it applies to your environment.

To create a system-specific installation report for Windows

- 1** Go to the SORT website:
<https://sort.veritas.com/netbackup>
- 2** In the **Installation and Upgrade** section, select **Installation and Upgrade custom reports by SORT data collectors**.
- 3** Select the **Data Collectors** tab
- 4** Select the radio button for **Graphical user interface** and download the correct data collector for your platform.

The data collector is OS-specific. To collect information about Windows computers, you need the Windows data collector. To collect information about UNIX computers, you need the UNIX data collector.

- 5** Launch the data collector after it finishes downloading.

- 6 On the **Welcome** screen, select **NetBackup** from the product family section and click **Next**.
- 7 On the **System Selection** screen, add all computers you want analyzed. Click **Browse** to see a list of computers you can add to the analysis. Veritas recommends starting the tool with an administrator or a root account.
- 8 When all systems are selected, review the **System names** section and click **Next**.
- 9 In the **Validation Options** screen, under **Validation options**, select the version to which you plan to upgrade.
- 10 Click **Next** to continue
- 11 The utility performs the requested checks and displays the results. You can upload the report to My SORT, print the results, or save them. Veritas recommends that you upload the results to the My SORT website for ease of centralized analysis. Click **Upload** and enter your My SORT login information to upload the data to My SORT.
- 12 When you are finished, click **Finish** to close the utility.

To create a system-specific installation report for UNIX or Linux

- 1 Go to the SORT website:
<https://sort.veritas.com/netbackup>
- 2 In the **Installation and Upgrade** section, select **Installation and Upgrade custom reports by SORT data collectors**.
- 3 Select the **Data Collector** tab.
- 4 Download the appropriate data collector for your platform.

The data collector is OS-specific. To collect information about Windows computers, you need the Windows data collector. To collect information about UNIX computers, you need the UNIX data collector.
- 5 Change to directory that contains downloaded utility.
- 6 Run `./sortdc`

The utility performs checks to confirm the latest version of the utility is installed. In addition, the utility checks to see it has the latest data. The utility then lists the location of the log file for this session.
- 7 If requested, press **Enter** to continue.
- 8 Select the **NetBackup Family** at the **Main Menu**.

- 9** Select **Installation/Upgrade report** when prompted **What task do you want to accomplish?**
 You can select multiple options by separating your response with commas.
- 10** Specify the system or systems you want included in the report.
 If you previously ran a report on the specified system, you may be prompted to run the report again. Select **Yes** to re-run the report.
 The utility again lists the location of the log files for the session.
 The progress of the utility is displayed to the screen.
- 11** Specify **NetBackup** when prompted for the product you want installation or upgrade reports.
- 12** Enter the number that corresponds to the version of NetBackup you want to install.
 The utility again lists the location of the log files for the session.
 The progress of the utility is displayed to the screen.
- 13** The utility prompts you to upload the report to the SORT website if you want to review the report online. The online report provides more detailed information than the text-based on-system report.
- 14** When your tasks are finished, you can exit the utility. You have the option to provide feedback on the tool, which Veritas uses to make improvements to the tool.

Recommended SORT procedures for upgrades

Veritas recommends current NetBackup users perform the three procedures that are listed for an initial introduction to SORT. The tool has many other features and functions, but these serve as a good introduction to SORT for users who already use NetBackup. In addition, the procedures provide a helpful base of knowledge for other SORT functionality.

Table A-2

Procedure	Details
Create a Veritas Account on the SORT webpage	See "To create a Veritas Account on the SORT page" on page 55.

Table A-2 (continued)

Procedure	Details
Create a system-specific upgrade report	See "To create a system-specific installation report for Windows" on page 56. See "To create a system-specific installation report for UNIX or Linux" on page 57.
Review the future platform and feature plans. Review the hot fix and emergency engineering binary release auditor information.	See "To review future platform changes and feature plans" on page 59. See "To review hot fix and emergency engineering binary information" on page 59.

To review future platform changes and feature plans

- 1 In your web browser, navigate to:
<https://sort.veritas.com/netbackup>
- 2 Find and select the **NetBackup Future Platform and Feature Plans** widget.
- 3 Select **Display Information**.
- 4 Review the information provided
- 5 Optional - sign in to create notification - Click **Sign in and create notification**.

To review hot fix and emergency engineering binary information

- 1 In your web browser, navigate to:
<https://sort.veritas.com/netbackup>
- 2 Find and select the **NetBackup Hot Fix and EEB Release Auditor** widget.
- 3 Enter the hot fix or emergency engineering binary (EEB) information.
- 4 Click **Search**.
- 5 The new page shows a table with the following columns:

Hot fix of EEB Identifier	Shows the hot fix or EEB number that was entered on the previous screen.
Description	Displays a description of the problem that is associated with the hot fix or EEB.
Resolved in Versions	Provides the version of NetBackup where this issue is resolved.